



## VALOR CENTRE & VALOR CENTRE PLUS



## FIRES

COLLECTION 2019/20



# WELCOME

The Glen Dimplex Heating & Ventilation have created an approved network scheme, which is split into Valor Centre & Valor Centre Plus. This is only available to retailers which have been pre-approved by Glen Dimplex and allows customers to see, try and touch the products and view first-hand the amazing gas fires.

To be a **Valor Retailer Centre**, the retail business needs to:

- Display x 3 Gas Fires from the Valor Centre range, including 1 live gas fire
- Gas installations to conform to benchmark standards
- Must agree to take part in all Valor technical training

To be a **Valor Retailer Plus Centre**, the retail business needs to:

- Display x 4 Fires from the Valor Centre range including 1 live gas fire
- Display 1 x Inspire live
- Gas installations to conform to benchmark standards
- Agree to participate in Valor technical training sessions

The benefits of being a **Valor Retailer Centre** retailer are as follows:

1. **Exclusive Products** - All approved Valor Retailers have access to the Valor Centre range of products. Products within the Valor Centre range are only available to retailers who satisfy certain distribution criteria.
2. **Website Listings** - All approved retailers are listed on the Glen Dimplex website as an approved retailer.
3. **Enhanced display terms.**
4. **Promotional Offers** - Approved Dimplex Centres & Dimplex Centre Plus retailers often receive exclusive offers during the year which the consumer can benefit from.
5. **3-Years Guarantee\*** - As an approved retailer, it gives the consumer who purchases a fire another 2 years additional warranty, making the total warranty for the product 3 years (i.e. normal 1 year warranty, plus the additional 2 years = 3 year warranty in total, providing that the consumer registers their warranty on-line within 28 days of purchase at: [www.dimplex.co.uk/register](http://www.dimplex.co.uk/register)).
6. **Regular communications and updates** - The approved retailer will receive regular product information directly from Glen Dimplex and from Primaflow F&P.
7. **Approved Glen Dimplex support Package.**

\*Terms & Conditions apply



## GUIDE TO SYMBOLS

To assist customers in selecting the correct product for their needs, we have identified the key features and displayed below for easy reference. Also, for customers peace of mind the Guarantee period for the products, outputs and efficiency information is also highlighted on each product.

### CHIMNEY OR FLUE

Your choice of fire will be dictated by the type of chimney or flue you have.

If you're not sure, then take a look at your roof and cross-reference it with the following guide.




#### BRICK CHIMNEY (Class 1) Suitable for all fires

A conventional brick chimney is easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



#### PRE-CAST FLUE Suitable for a wide range of slimline fires

Built from concrete or clay blocks, pre-cast flues provide a rectangular section flue. They can be identified by a ridge vent or metal flue tube and terminal on the roof.



#### PRE-FABRICATED FLUE (Class 2) Suitable for most fires

This is an interlocking metal flue tube system easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



#### BALANCED FLUE

Balanced flue fires vent directly outside through a horizontal co-axial pipe. An outer pipe draws air in from the outside and an inner pipe expels combustion gases.





Allure Clifton Chrome

## CONTROLS



### MANUAL CONTROL

Simple and discreet, the control system is located behind the fire's fret or trim. Once the fire is lit rotate the knob to adjust the flame height and heat output.



### ELECTRONIC CONTROL

Both ignition and heat are controlled by a single rotary motion so there is no need to push down and twist the ignition to light the fire. Requires AA battery.



### SLIDE CONTROL

The control system is located on the top right-hand side of the fire. Push and hold the lever down to ignite and move it up and down to adjust the flame height and heat output.



### REMOTE CONTROL

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



### TOUCH CONTROL (ELECTRIC)

Touch control via two switches, on/off and high/low.

## FUEL BED OPTIONS



Coals



Radiant



109880BS shown with Alton Firefront (ordered separately - see page 6)

## Allure FD Convector MC - Full Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency

Code	Dimensions (H x W x D) mm	Colour Option
109880BK	615 x 506 x 235	Black
109880BS	615 x 506 x 235	Brass
109880BC	615 x 506 x 235	Brushed Chrome
109880CP	615 x 506 x 235	Chrome



Brick Chimney



Pre-Fab Flue



Manual Control



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY



109881BB shown with Clifton Firefront (ordered separately - see page 6)

## Allure FD Convector MC - Inlay Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency

Code	Dimensions (H x W x D) mm	Colour Option
109881BB	615 x 506 x 235	Black/Brass
109881BC	615 x 506 x 235	Black/Brushed Chrome
109881BL	615 x 506 x 235	Black/Chrome



Brick Chimney



Pre-Fab Flue



Manual Control



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY



109882Bk shown with Downton Firefront (ordered separately - see page 6)

## Allure FD Convector FS - Full Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency

Code	Dimensions (H x W x D) mm	Colour Option
109882BK	615 x 506 x 235	Black
109882BS	615 x 506 x 235	Brass
109882BC	615 x 506 x 235	Brushed Chrome
109882CP	615 x 506 x 235	Chrome



Brick Chimney



Pre-Fab Flue



Slide Control



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY





109883BC shown with Bauhaus Firefront  
(ordered separately - see page 6)

## Allure FD Convector FS - Inlay Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency
- Manual or Fireslide Control or Remote Control options

Code	Dimensions (H x W x D) mm	Colour Option
109883BB	615 x 506 x 235	Black/Brass
109883BC	615 x 506 x 235	Black/Brushed Chrome
109883BL	615 x 506 x 235	Black/Chrome



Brick Chimney



Pre-Fab Flue



Slide Control



**4 kW**  
**OUTPUT**

**64%**  
**EFFICIENCY**



109877BC shown with Blenheim Firefront  
(ordered separately - see page 6)

## Allure FD Convector RC - Full Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency

Code	Dimensions (H x W x D) mm	Colour Option
109877BK	615 x 506 x 235	Black
109877BR	615 x 506 x 235	Brass
109877BC	615 x 506 x 235	Brushed Chrome
109877CP	615 x 506 x 235	Chrome



Brick Chimney



Pre-Fab Flue



Remote Control



**4 kW**  
**OUTPUT**

**64%**  
**EFFICIENCY**



109878BC shown with Alton Firefront  
(ordered separately - see page 6)

## Allure FD Convector RC - Inlay Trim

A true classic that will fit seamlessly with any interior style. Combine with a choice of Firefronts; the Alton, Bauhaus, Blenheim, Clifton or Downton (sold separately).

### Features

- 1.3 - 4kW heat output
- 64% nett efficiency

Code	Dimensions (H x W x D) mm	Colour Option
109878BB	615 x 506 x 235	Black/Brass
109878BL	615 x 506 x 235	Black/Brushed Chrome
109878BC	615 x 506 x 235	Black/Chrome



Brick Chimney



Pre-Fab Flue



Remote Control




**4 kW**  
**OUTPUT**

**64%**  
**EFFICIENCY**

# Firefronts

The following Firefronts should be ordered along with the compatible engines listed on pages 4 and 5.

## Alton Firefront



103784BS Brass

Code	Firefront	Colour Option
103784BS	Alton	Brass
103784CP	Alton	Chrome
109884BK	Alton	Black
109884BC	Alton	Brushed Chrome

## Bauhaus Firefront



109885BC Brushed Chrome

Code	Firefront	Colour Option
103785BS	Bauhaus	Brass
103785CP	Bauhaus	Chrome
109885BK	Bauhaus	Black
109885BC	Bauhaus	Brushed Chrome

## Blenheim Firefront



103781C Chrome

Code	Firefront	Colour Option
103781BS	Blenheim	Brass
103781C	Blenheim	Chrome
109886BK	Blenheim	Black
109886BC	Blenheim	Brushed Chrome

## Clifton Firefront



103787BS Brass

Code	Firefront	Colour Option
103787BS	Clifton	Brass
103787CP	Clifton	Chrome
109887BK	Clifton	Black
109887BC	Clifton	Brushed Chrome

## Downton Firefront



109888BK Black

Code	Firefront	Colour Option
103783BS	Downton	Brass
103783C	Downton	Chrome
109888BK	Downton	Black
109888BC	Downton	Brushed Chrome



Chrome Half Trim  
with Alton Fret

## Trueflame HE Full Depth Alton

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

**4<sub>kW</sub>**  
**OUTPUT**

**85%**  
**EFFICIENCY**

#### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 186

Half Trim - 610 x 500 x 186

#### Colour

Brass

Chrome

#### Full Trim

103777BS

103777CP

#### Half Trim

103778BS

103778CP

#### Alton Fret Code

103784BS

103784CP



Brick  
Chimney



Pre-Fab  
Flue



Slide  
Control



Coals



Brass Full Trim  
with Alton Fret

## Trueflame SE Full Depth Convector Alton

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

**4<sub>kW</sub>**  
**OUTPUT**

**64%**  
**EFFICIENCY**

#### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 235

Half Trim - 610 x 500 x 235

#### Colour

Brass

Chrome

#### Full Trim

103779BS

103779CP

#### Half Trim

103780BS

103780CP

#### Alton Fret Code

103784BS

103784CP



Brick  
Chimney



Pre-Fab  
Flue



Slide  
Control



Coals



Brass Full Trim  
with Bauhaus Fret

## Trueflame HE Full Depth Bauhaus

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

**4<sub>kW</sub>**  
**OUTPUT**

**85%**  
**EFFICIENCY**

#### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 186

Half Trim - 610 x 500 x 186

#### Colour

Brass

Chrome

#### Full Trim

103777BS

103777CP

#### Half Trim

103778BS

103778CP

#### Bauhaus Fret Code

103785BS

103785CP



Brick  
Chimney



Pre-Fab  
Flue



Slide  
Control



Coals







Chrome Half Trim with Bauhaus Fret

## Trueflame SE Full Depth Convector Bauhaus

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 235

Half Trim - 610 x 500 x 235

### Colour

Brass

Chrome

### Full Trim

103779BS

103779CP

### Half Trim

103780BS

103780CP

### Bauhaus Fret Code

103785BS

103785CP



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY



Brass Full Trim with Clifton Fret

## Trueflame HE Full Depth Clifton

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 186

Half Trim - 610 x 500 x 186

### Colour

Brass

Chrome

### Full Trim

103777BS

103777CP

### Half Trim

103778BS

103778CP

### Clifton Fret Code

103787BS

103787CP



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY



Chrome Half Trim with Clifton Fret

## Trueflame SE Full Depth Convector Clifton

Traditional design with reliable performance.

### Features

- Beautifully traditional gas inset fire
- Choice of colours and finishes
- Fantastic Fireslide control
- Coal effect fuel bed for added authenticity

### Dimensions (H x W x D) mm

Full Trim - 621 x 522 x 235

Half Trim - 610 x 500 x 235

### Colour

Brass

Chrome

### Full Trim

103779BS

103779CP

### Half Trim

103780BS

103780CP

### Clifton Fret Code

103787BS

103787CP



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



4<sup>kW</sup>  
OUTPUT

64%  
EFFICIENCY



109940PG Pale Gold

## Excelsior Slimline High Efficiency

This slimline glass fronted inset fire provides the illusion of a full flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority within limited space.

### Features

- Fireslide control
- Glass fronted
- Radiant and convected heat
- Available in choice of two finishes

**3.1<sup>kW</sup>**  
**OUTPUT**

**85%**  
**EFFICIENCY**

Code	Dimensions (H x W x D) mm	Colour Option
109940BN	636 x 518 x 79	Black Nickel
109940PG	636 x 518 x 79	Pale Gold



Brick Chimney



Pre-Fab Flue



Pre-Cast Flue



Slide Control



Coals



143420BS Brass

## Alton Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Alton boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143420BS	612 x 505 x 70	Brass
143420CP	612 x 505 x 70	Chrome



Remote Control



Coals



**1.35<sup>kW</sup>**  
**OUTPUT**

**100%**  
**EFFICIENCY**



143421CP Chrome

## Bauhaus Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Bauhaus boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143421BS	612 x 505 x 70	Brass
143421CP	612 x 505 x 70	Chrome



Remote Control



Coals



**1.35<sup>kW</sup>**  
**OUTPUT**

**100%**  
**EFFICIENCY**



143422BS Brass

## Clifton Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Clifton boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143422BS	612 x 505 x 70	Brass
143422CP	636 x 518 x 70	Chrome



Remote Control



Coals



**1.35<sup>kW</sup>**  
OUTPUT

**100%**  
EFFICIENCY



143414PG Black Nickel

## Excelsior Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Excelsior boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143414BN	636 x 518 x 70	Black Nickel
143414PG	636 x 518 x 70	Pale Gold



Remote Control



Coals



**1.35<sup>kW</sup>**  
OUTPUT

**100%**  
EFFICIENCY



143415BN Pale Gold

## Masquerade Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Masquerade boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143415BN	636 x 518 x 70	Black Nickel
143415PG	636 x 518 x 70	Pale Gold



Remote Control



Coals



**1.35<sup>kW</sup>**  
OUTPUT

**100%**  
EFFICIENCY





143412SC Silver/Chrome

## Petrus Dimension Inset

The Dimension series utilises Valor's Dimension technology - combining classic features with a truly believable flame effect created by a holographic fuel bed. Providing up to 1.35kW heat output with a choice of heat controls, the Petrus boasts 100% efficiency and comes complete with remote control for easy operation.

### Features

- 1.35kW fan heater
- Remote control
- Patented Dimension flame effect
- Coal effect fuel bed
- Choice of finishes

Code	Dimensions (H x W x D) mm	Colour Option
143412BC	636 x 518 x 70	Black Chrome
143412SC	600 x 522 x 254	Silver/Chrome



Remote Control



Coals



**1.35<sup>kW</sup>**  
**OUTPUT**

**100%**  
**EFFICIENCY**



109924PR Pewter

## Classica Full Depth High Efficiency

This glass fronted inset fire provides a convincing flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority.

### Features

- Fireslide control
- Glass fronted
- Radiant and convected heat

Code	Dimensions (H x W x D) mm	Colour Option
109924PR	631 x 540 x 185	Pewter



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



**3.85<sup>kW</sup>**  
**OUTPUT**

**85%**  
**EFFICIENCY**



109927BN Black Nickel

## Excelsior Full Depth Convector

This open fronted inset fire promises the flame realism of a solid fuel fire. It's the ideal choice when heat distribution is a key priority as it offers a mix of radiant and convected heat.

### Features

- Fireslide control
- Open fronted
- Radiant and convected heat
- Available in choice of two finishes

Code	Dimensions (H x W x D) mm	Colour Option
109927BN	636 x 518 x 186	Black Nickel
109927PG	636 x 518 x 186	Pale Gold



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



**4<sup>kW</sup>**  
**OUTPUT**

**64%**  
**EFFICIENCY**



109928PG Pale Gold

## Masquerade Full Depth Convector

This open fronted inset fire promises the flame realism of a solid fuel fire – thanks to its deep, realistic coal effect fuel bed and warm glow. It's the ideal choice when heat distribution is a key priority as it offers a mix of radiant and convected heat.

### Features

- Brick chimney, and pre-fabricated compatible
- Open fronted
- Radiant and convected heat
- Available in choice of two finishes

Code	Dimensions (H x W x D) mm	Colour Option
109928BN	636 x 518 x 235	Black Nickel
109928PG	636 x 518 x 235	Pale Gold



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



**4<sup>kW</sup>**  
**OUTPUT**

**64%**  
**EFFICIENCY**



109925PG Pale Gold

## Excelsior Full Depth High Efficiency

This glass fronted inset fire provides a convincing flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority.

### Features

- Fireslide control
- Glass fronted
- Radiant and convected heat
- Available in choice of two finishes

Code	Dimensions (H x W x D) mm	Colour Option
109925BN	636 x 518 x 185	Black Nickel
109925PG	636 x 518 x 185	Pale Gold



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



**3.85<sup>kW</sup>**  
**OUTPUT**

**85%**  
**EFFICIENCY**



109942BN Black Nickel

## Excelsior Slimline

The Excelsior slimline convector gas fire allows modern homes with shallow flues to enjoy the classic looks of the inset fire while meeting their building's requirements. The fire comes in a choice of finishes to suit your décor and has Fireslide manual control for easy operation.

### Features

- Fireslide control
- Open fronted
- Choice of two finishes
- Radiant and convected heat

Code	Dimensions (H x W x D) mm	Colour Option
109942BN	636 x 518 x 110	Black Nickel
109942PG	636 x 518 x 110	Pale Gold



Brick Chimney



Pre-Fab Flue



Pre-Cast Flue



Slide Control



Coals



**3.3<sup>kW</sup>**  
**OUTPUT**

**61%**  
**EFFICIENCY**



109943PG Pale Gold

## Masquerade Slimline Convector

The Masquerade slimline convector gas fire allows modern homes with shallow flues to enjoy the classic looks of the inset fire, with ample heat output and nett efficiency, while meeting their building's requirements.

### Features

- Fireslide control
- Open fronted
- Choice of two finishes
- Radiant and convected heat

Code	Dimensions (H x W x D) mm	Colour Option
109943BN	636 x 518 x 135	Black Nickel
109943PG	636 x 518 x 135	Pale Gold



Brick Chimney



Pre-Fab Flue



Pre-Cast Flue



Slide Control



Coals



**3.3** kW  
OUTPUT

**61%**  
EFFICIENCY



109926BN Black Nickel

## Masquerade Full Depth High Efficiency

This glass fronted inset fire provides the illusion of a full flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority, as less gas is wasted in escaping the fire.

### Features

- Fireslide control
- Glass fronted
- Choice of two finishes
- Radiant and convected heat

Code	Dimensions (H x W x D) mm	Colour Option
109926BN	636 x 518 x 185	Black Nickel
109926PG	636 x 518 x 185	Pale Gold



Brick Chimney



Pre-Fab Flue



Slide Control



Coals



**3.85** kW  
OUTPUT

**85%**  
EFFICIENCY



109941BN Black Nickel

## Masquerade HE Slimline Inset

This slimline glass fronted inset fire provides the illusion of a full flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority within limited space, as less gas is wasted in escaping the fire.

### Features

- Fireslide control
- Brick chimney, pre-cast and pre-fabricated compatible

Code	Dimensions (H x W x D) mm	Colour Option
109941BN	636 x 518 x 79	Black Nickel
109941PG	636 x 518 x 79	Pale Gold



Brick Chimney



Pre-Fab Flue



Pre-Cast Flue



Slide Control



Coals



**3.1** kW  
OUTPUT

**85%**  
EFFICIENCY





109944BN Black Nickel

## Excelsior Balanced Flue

This glass fronted inset fire provides a convincing flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority, as less gas is wasted in escaping the fire. It also offers radiant heat, meaning you feel heat directly from the fire.

### Features

- Balanced flue (no chimney requirement)
- Side touch control
- Glass fronted
- Radiant and convected heat
- Available in choice of three colours
- Spacer kit available

Code	Dimensions (H x W x D) mm	Colour Option
109944BN	636 x 518 x 135	Black Nickel
109944PG	636 x 518 x 135	Pale Gold



Balanced Flue



Touch Control



Coals



**2.8<sup>kW</sup>**  
**OUTPUT**

**84%**  
**EFFICIENCY**



109945PG Pale Gold

## Masquerade Balanced Flue

This glass fronted inset fire provides a convincing flame while retaining high energy efficiency. It's the ideal choice when energy efficiency is a key priority, as less gas is wasted in escaping the fire. It also offers radiant heat, meaning you feel heat directly from the fire.

### Features

- Balanced flue (no chimney requirement)
- Side touch control
- Glass fronted
- Radiant and convected heat
- Available in choice of three colours
- Spacer kit available

Code	Dimensions (H x W x D) mm	Colour Option
109945BN	636 x 518 x 110	Black Nickel
109945PG	636 x 518 x 110	Pale Gold



Balanced Flue



Manual Control



Coals



**2.8<sup>kW</sup>**  
**OUTPUT**

**84%**  
**EFFICIENCY**



109946BC Black/Chrome

## Helmsley

The Helmsley Radiant Outset Gas Fire has a traditional gas fire look in a black finish with a striking canopy of black with chrome highlights. The Helmsley gas fire has a grated front with manual control and electronic ignition for ease of use.

### Features

- Manual top control
- Duplex burner for added control
- Outset radiant fire
- Radiant and convected heat
- Pagoda styled hood with chrome finishing
- Can be wall or hearth mounted

Code	Dimensions (H x W x D) mm	Colour Option
109946BC	630 x 657 x 225	Black/Chrome



Brick Chimney



Pre-Fab Flue



Pre-Cast Flue



Electronic Control



Radiant



**4<sup>kW</sup>**  
**OUTPUT**

**80%**  
**EFFICIENCY**



# Ultimate smoke and CO protection from Nest Protect

Nest Protect looks for fast-burning fires, smouldering fires, and carbon monoxide. It also speaks up when there's a problem, can be silenced from a phone when you're at home and sends a phone alert if you're gone.

- Know what's happening and where
- Get alerts on a phone
- Sees the CO you can't
- 10 year life span



**NEXT DAY  
DELIVERY**



**EASY ONLINE  
ORDERING**



**BIG STOCK  
LEVELS**



WE SIMPLY DELIVER MORE

## VALOR CENTRE & VALOR CENTRE PLUS



Head Office: Primaflow F&P, Eldon Way, Crick, Northamptonshire NN6 7SL

Registered in England No 60987. Registered Office: Lodge Way House, Lodge Way, Harlestone Road, Northampton NN5 7UG.

© Primaflow F&P - No part of this publication may be reproduced or utilised in any form or by any means, electronic or mechanical, without prior permission from the publishers. Every care is taken to ensure that the information quoted in this brochure is correct at the time of going to press. E & OE. Copies of our full terms and conditions are available from our Head Office.

[www.primaflowfandp.co.uk](http://www.primaflowfandp.co.uk)

Valor Approved Centres  
V1 Oct - 2019/2020 199131